35.C14082

## PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE In re Application of: Not Yet Know Examiner: RYOJI FUKUDA Group Art Unit: 278 Application No.: 09/454,969 Filed: December 6, 1999 For: COORDINATES CORRECTION APPARATUS, COORDINATES CORRECTION, PARAMETER CALCULATION APPARATUS, COORDINATES CORRECTION METHOD, COORDINATES CORRECTION PARAMETER CALCULATION METHOD, MEMORY MEDIUM FOR STORING COORDINATES CORRECTION CONTROL PROGRAM, AND MEMORY MEDIUM FOR STORING COORDINATES CORRECTION PARAMETER CALCULATION PROGRAM June 30, 2000

The Assistant Commissioner for Patents Washington, D.C. 20231

## INFORMATION DISCLOSURE STATEMENT

Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56 and in accordance with the practice under 37 C.F.R. §§ 1.97 and 1.98, the Examiner's attention is

#10 15600 directed to the documents identified on the enclosed Form PTO-1449. Copies of the documents are also enclosed.

In accordance with the rules, it is noted that no translation or English-language counterpart of the Japanese document (2517664 filed 8/27/90) is available.

For the concise statement of relevance for the non-English documents the Examiner is referred to the abstracts attached thereto.

The Examiner's attention is also directed to the following U.S. application:

APPLICATION NO.	FILING DATE	GROUP ART UNIT
08/632,620	4/15/96	2413

In accordance with 37 C.F.R. § 1.98(a)(2)(iii), no copy of the cited U.S. application is enclosed.

It is respectfully requested that the above information be considered by the Examiner and that a copy of the enclosed Form PTO-1449 be returned indicating that such information has been considered.

Applicant's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All

correspondence should continue to be directed to our below listed address.

Respectfully submitted,

Attorney for Applicant

Registration No. 29 46

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200
85643